

TRX-4® Ford® F-150® High Trail Edition™ (Model 92046-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components	5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
8241	Axle housing, front	5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		Body (1979 Chevrolet® K10 Truck)
8227	Axle mount set (complete) (front & rear) (for suspension links)	9226	Body cage (fits #9212 body)
8228	Axle shaft, front (left)/ drive pin/ cross pin	9228	Body mounts (front & rear)/ 3x10mm BCS (7) (fits #9212 body)
8229	Axle shaft, front (right)/ drive pin/ cross pin	9212	Body, Chevrolet K10 Truck (1979) (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door
8060	Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear)		handles, windshield wipers, clipless mounting, hardware)
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear,		(requires #9288 inner fenders)
0002	front (machined) (2) (assembled)	9212X	Body, Chevrolet K10 Truck (1979), complete, black (painted,
8230	Axle shaft, rear (left)		decals applied) (includes grille, side mirrors, door handles,
8231	Axle shaft, rear (right)		windshield wipers, front & rear bumpers, clipless mounting)
8063	Axle shaft, rear, heavy duty (left & right) (requires #8065 rear	9212R	(requires #9288 inner fenders) Body, Chevrolet K10 Truck (1979), complete, red (painted, decals
0004	portal drive input gear)	32 1210	applied) (includes grille, side mirrors, door handles, windshield
8061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) (2) (assembled)		wipers, front & rear bumpers, clipless mounting) (requires #9288
8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)		inner fenders)
9283	Cable, T-lock, rear (185mm)	6593	Distribution block, Pro Scale® Advanced Lighting Control
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)	8134	System Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/
8256	Portal drive axle mount, rear (left & right)	0134	headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)		#8130 or 9212 series bodies)
00504	(left and right)/ 2.5x16 CS (4)	8082	Installation kit, Pro Scale® Advanced Lighting Control System,
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray- anodized) (left and right)/ 2.5x16 CS (4)		TRX-4® Chevrolet Blazer or K10 Truck (1979) (includes mount,
8256G	Portal drive axle mount, rear, 6061-T6 aluminum (green-		reverse lights harness, hardware)
02000	anodized) (left and right)/ 2.5x16 CS (4)	8039	LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies, requires #8028
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)		power supply)
	(left and right)/ 2.5x16 CS (4)	8038	LED light set, complete with power supply (contains headlights,
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)		tail lights, side marker lights, & distribution block) (fits #8130
8253	Portal drive housing, inner, rear (left or right) (2)		series bodies)
8251 8064	Portal drive housing, outer (front or rear) (2) Portal drive input gear, front (machined) (left or right) (requires	9263	Light bar, chrome (housing & lens) (fits #9262 or 9262X roll bar)
0004	#8060 front axle shaft)	6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
8257	Portal drive input gear, front/ drive pin/ cross pin	6591	Pro Scale® Advanced Lighting Control System (includes power
8259	Portal drive input gear, rear		module & distribution block)
8065	Portal drive input gear, rear (machined) (left or right) (requires	8038X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck
	#8063 rear axle)		(1979), complete with power module (contains headlights, tail
8258	Portal drive output gear, front or rear		lights, side marker lights, & distribution block) (fits #8130 or
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2)	6594	9212 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting
8252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-	0004	Control System
	anodized) (2)/ 3x12 BCS (2)	9262X	Roll bar (assembled with LED light bar)/ mounts (front (2), rear
8252G	Portal housings, inner (front), 6061-T6 aluminum (green-		(left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230
	anodized) (2)/ 3x12 BCS (2)	0000	series bodies)
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2)	9262	Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies)
8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized)	8135	Tail lights, left & right (assembled)/ tail light retainers, left &
020070	(2)/ 2.5x10 CS (2)	0.00	right/ side marker lights (assembled) (2)/ side marker retainers
8253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-		(2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2)
	anodized) (2)/ 2.5x10 CS (2)		(fits #8130 or 9212 series bodies)
8253G	Portal housings, inner (rear), 6061-T6 aluminum (green-		Body (1979 Ford® F-150® Truck)
8253R	anodized) (2)/ 2.5x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)	9233	Body cage, front & rear (fits #9230 body)
0233K	(2)/ 2.5x10 CS (2)	9234	Body mounts, front & rear (fits #9230 body)
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/	9230	Body, Ford F-150 (1979) (clear, requires painting)/ decals/
	2.5x10 CS (12)		window masks (includes grille, side mirrors, door handles,
8251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray-		windshield wipers, clipless mounting, hardware) (requires #9288 inner fenders) (roll bar sold separately; choose #9262 chrome,
005/0	anodized) (2)/ 2.5x10 CS (12)		9262R black, or 9262X chrome with lights)
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12)	9230-BLK	Body, Ford F-150 (1979), complete, black (painted, decals
8251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/		applied) (includes grille, side mirrors, door handles, windshield
020111	2.5x10 CS (12)		wipers, front & rear bumpers, clipless mounting) (requires #9288
8255A	Stub axle, extended thread (portal drive) (2)		inner fenders) (roll bar sold separately; choose #9262 chrome, 9262R black, or 9262X chrome with lights)
8267	Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6)	9230-BLUE	Body, Ford F-150 (1979), complete, blue (painted, decals applied)
	(requires #8251X, 8251R, 8251A, or 8251G outer portal housing)		(includes grille, side mirrors, door handles, windshield wipers,
	Bearings & Bushings		front & rear bumpers, clipless mounting) (requires #9288 inner
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)		fenders) (roll bar sold separately; choose #9262 chrome, 9262R
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)	0220	black, or 9262X chrome with lights)
5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)	9230- BRWN	Body, Ford F-150 (1979), complete, brown (painted, decals applied) (includes grille, side mirrors, door handles, windshield
5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)		wipers, front & rear bumpers, clipless mounting) (requires #9288
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)		inner fenders) (roll bar sold separately; choose #9262 chrome,
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)		9262R black, or 9262X chrome with lights)
5117A	Ball bearings, black rubber sealed (6x12x4mm) (2)	6593	Distribution block, Pro Scale® Advanced Lighting Control
			System

Page 2	TRX-4® Ford® F-150® High	Trail Edition™: TQi™	¹ Traxxas Link™	Enabled 2.4GHz Radio	(Model 92046-4) Parts List
--------	--------------------------	----------------------	-----------------	----------------------	----------------------------

0075	TRA-4® Ford® F-150® High Trail Edition::: IQI::: Trail		· · · · · · · · · · · · · · · · · · ·
8075	Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230 series bodies)		Chassis & Attachments
3070	Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight housing	8215	Body mounts & posts, front & rear (complete set)
	(2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 or 9230 series	8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
032	bodies) Installation kit, Pro Scale® Advanced Lighting Control System,	8058	Chassis conversion kit, TRX-4® (long to short wheelbase)
032	TRX-4® Ford Bronco (1979) or Chevrolet K10 Truck (1979)		(includes rear upper & lower suspension links, front & rear inner
	(includes mount, reverse lights harness, hardware)		fenders, short female half shaft, battery tray, 3x8mm FCS (4))
036	LED light set (contains headlights, tail lights, side marker lights,	8057	Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear
	and distribution block) (fits #8010 body, requires #8028 power		shock towers, long female half shaft)
035	supply) LED light set, complete with power supply (contains headlights,	8220	Chassis rails, 448mm (steel) (left & right)
000	tail lights, side marker lights, & distribution block) (fits #8010	9229	Chassis rails, 480mm (steel) (left & right)
	body)	8081	Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080
037	LED lights, high/low switch (for #8035 or #8036 LED light kits)	0000	narrow inner fenders)
263	Light bar, chrome (housing & lens) (fits #9262 or 9262X roll bar)	8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 C
073	Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies)		(10)
073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4)	8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ batte
	(fits #8010 or 9230 series bodies)		plate/ 3x8 flathead screws (4)
592	Power module, Pro Scale® Advanced Lighting Control System	9288	Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rollight covers (8)
E04	(includes mount, communication cables, hardware)	8218	Floor pans, left & right
591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	8224X	Receiver box cover (for use only with #8224 receiver box &
035R	Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-		#2260 BEC)/ foam pads/ seals/ silicone grease
	150 (1979), complete with power module (contains headlights,	8219	Rock sliders, left & right
	tail lights, side marker lights, & distribution block) (fits #8010 or	8225	Seal kit, receiver box (includes o-ring, seals, and silicone
·E0.4	9230 series bodies)	9240V	grease)
594	Receiver communication cable, Pro Scale® Advanced Lighting Control System	8240X 8239	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips Servo mount, steering/ chassis crossmember
262X	Roll bar (assembled with LED light bar)/ mounts (front (2), rear	8216	Shock towers, front & rear (left & right)
	(left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230	8226	Tray, battery
	series bodies)		Differential Components
262R	Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies)	8281	Carrier, differential/ differential slider/ T-Lock fork
262	Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS	8280A	Differential cover, front or rear (black)
	(self-tapping) (4) (fits #9212 or 9230 series bodies)	8280X	Differential cover, front or rear (chrome plated)
231	Side trim, left & right (chrome)/ LED lens/ 2.6x8mm BCS (14)/	8280	Differential cover, front or rear (grey)
	2.6x10mm BCS (6) (fits #9230 body)	8280R	Differential cover, front or rear (red)
8076	Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24)	8195	Differential, locking, front and rear (assembled) (includes T-Lock
9232	(fits #8010 series bodies) Tailgate panel/ tail light lens (left & right)/ tail light housing (left &	8282	cables and servos) Gear set, differential (output gears (2), spider gears (4), spider gear
202	right)/ 1.6x10mm BCS (self-tapping) (2) (fits #9230 body)	0202	shaft (2))
	Body Accessories	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup
926	Antenna caps, vinyl (2)/ antenna spool		(1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)
726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	8279	(1) 3x6 BCS with threadlock (1)) Ring gear, differential/ pinion gear, differential
834	Body Clips (12) (standard size)	8279R	Ring gear, differential/ pinion gear, differential (machined)
834A	Body clips, black (12) (standard size)	8287	Ring gear, differential/ pinion gear, differential (overdrive,
934	Body clips, heavy duty (12)		machined)
934A 215	Body clips, heavy duty (black) (12) Body mounts & posts, front & rear (complete set)	8288	Ring gear, differential/ pinion gear, differential (underdrive, machined)
228	Body mounts (front & rear)/ 3x10mm BCS (7) (fits #9212 body)	8297	Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with
115	Body posts, front & rear	020.	threadlock) (4)
915	Body washers, foam adhesive (10)		Driveline Components
514	Decal sheet, racing sponsors	9250	Driveshaft extension kit, center (includes internal splined, xx-long (2
081	Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080	9230	internal splined, medium (1) and internal splined, short (1))
080	narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers	8250	Half shafts, center (internal splined, front (2) & internal splined, rear
000	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS		(2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
	(10)	8255A	Stub axle, extended thread (portal drive) (2)
072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery	8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
	plate/ 3x8 flathead screws (4)	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)
288	Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock light covers (8)	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	0_0071	anodized) (4)/ 3x10 screw pin (4)
	Bumpers & Skidplates	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4
004		00000	3x10 screw pin (4)
234 234R	Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4) Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)
234K 067X	Bumper mounts, front & rear/ bumper mount, rear (offset)		
237	Bumper mounts, front & rear/ screw pins (4)	4550	Hardware (2)
124	Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)	1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
069X	Bumper, front (chrome)/ bumper mount (2)/ 3x10 BCS (2)	1834 1834A	Body Clips (12) (standard size) Body clips, black (12) (standard size)
235	Bumper, front/ winch/ 2.6x8 BCS (1)	1834A 3934	Body clips, black (12) (standard size) Body clips, heavy duty (12)
236	Bumper, rear	3934A	Body clips, heavy duty (12) Body clips, heavy duty (black) (12)
125	Bumper, rear (176mm wide)	4859	CS 3x10 flathead (hex drive)
3068 3237	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2) Extender, skid plate	8167X	Hardware kit, stainless steel, beadlock rings (contains stainles
3066	Push bar, bumper (chrome) (fits #8069 bumper)		steel hardware for 4 wheels)
	Skidplate/ lower gear cover	8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel
3238	Oktopiate, lower gear cover		
8238	Ondplate/ lovel geal cover	8151	hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all

Page 3	TRX-4® Ford® F-150® High Trail Edition™: TQi™ Traxx	as Link™	⁴ Enabled 2.4GHz Radio (Model 92046-4) Parts List
5476X 1747P	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	8140R	Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	8149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8)
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)		(for use with TRX-4® Long Arm Lift Kit)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	8141	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	8161	Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit)
1747T 1747A	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	8160X	Shocks, GTS, aluminum (blue-anodized) (assembled without
1747A 1985	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	0.00%	springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)
8221	Screw pin, 3x10mm (6)	8160R	Shocks, GTS, aluminum (red-anodized) (assembled without
2523	Screws, 2.5x10 countersunk machine (hex drive) (6)	0400	springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)	8160	Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit)
3236	Screws, 2.5x12mm cap-head machine (6)	8153	Springs, shock, long (natural finish) (GTS) (0.29 rate, white
2618 3215	Screws, 2.5x16mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6)		stripe) (for use with TRX-4® Long Arm Lift Kit)
2524	Screws, 2.5x8 countersunk machine (hex drive) (6)	8154	Springs, shock, long (natural finish) (GTS) (0.39 rate, orange
2617	Screws, 2.5x8mm button-head machine (hex drive) (6)	0455	stripe) (for use with TRX-4® Long Arm Lift Kit)
3965	Screws, 2.5x8mm cap-head machine (6)	8155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit)
8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)	8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green
8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)		stripe) (for use with TRX-4® Long Arm Lift Kit)
2564	Screws, 2x8mm cap-head machine (hex drive) (6)	8157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe)
2577 2578	Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive) (6)	8146X	(for use with TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link,
2579	Screws, 3x15mm button-head machine (hex drive) (6)	01407	5x63mm (blue powder coated steel) (assembled with hollow
2591	Screws, 3x23mm button-head machine (hex drive) (6)		balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
2581	Screws, 3x25mm button-head machine (hex drive) (6)	8146R	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link,
2616	Screws, 3x27mm button-head machine (hex drive) (6)		5x63mm (red powder coated steel) (assembled with hollow balls)
2582	Screws, 3x30mm button-head machine (hex drive) (6)	8144X	(for use with #8140R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (blue powder coated
2575 3932	Screws, 3x6mm button-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6)	01777	steel) (assembled with hollow balls) (for use with #8140X TRX-4®
2576	Screws, 3x8mm button-head machine (hex drive) (6)		Long Arm Lift Kit)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	8144R	Suspension link, front upper, 5x68mm (1) (red powder coated
3933	Screws, 4x16mm button-head machine (hex drive) (6)		steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
	LED Light Accessories	8144	Suspension link, front upper, 5x68mm (1) (steel) (assembled with
8031	3-in-1 wire harness, LED light kit	• • • • • • • • • • • • • • • • • • • •	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
8089	4-in-2 wire harness, LED light kit	8143	Suspension links, front lower (2) (5x104mm, steel) (assembled with
6589	Distribution block, LED light set		hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
6593	Distribution block, Pro Scale® Advanced Lighting Control	8143X	Suspension links, front lower, blue (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®
8032	System Installation kit. Bro Socio® Advanced Lighting Control System		Long Arm Lift Kit)
0032	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Ford Bronco (1979) or Chevrolet K10 Truck (1979)	8143R	Suspension links, front lower, red (2) (5x104mm, powder coated
	(includes mount, reverse lights harness, hardware)		steel) (assembled with hollow balls) (for use with #8140R TRX-4®
8028	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire	0115	Long Arm Lift Kit) Supposion links, rear lower (2) (Ex115mm, steel) (accombled with
00001	harness	8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
8026X	LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply and #8018, #8072, or #8080 inner fenders)	8145X	Suspension links, rear lower, blue (2) (5x115mm, powder coated
9263	Light bar, chrome (housing & lens) (fits #9262 or 9262X roll bar)		steel) (assembled with hollow balls) (for use with #8140X TRX-4®
6592	Power module, Pro Scale® Advanced Lighting Control System	04450	Long Arm Lift Kit)
	(includes mount, communication cables, hardware)	8145R	Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®
6591	Pro Scale® Advanced Lighting Control System (includes power		Long Arm Lift Kit)
002ED	module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-	8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled with
8035R	150 (1979), complete with power module (contains headlights,		hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
	tail lights, side marker lights, & distribution block) (fits #8010 or	8142X	Suspension links, rear upper, blue (2) (5x115mm, powder coated
	9230 series bodies)		steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
6594	Receiver communication cable, Pro Scale® Advanced Lighting	8142R	Suspension links, rear upper, red (2) (5x115mm, powder coated
9262X	Control System Roll bar (assembled with LED light bar)/ mounts (front (2), rear		steel) (assembled with hollow balls) (for use with #8140R TRX-4®
JLUZA	(left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230		Long Arm Lift Kit)
	series bodies)	8172	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock
9262R	Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS		2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right)
0000	(self-tapping) (4) (fits #9212 or 9230 series bodies)	8184	Tires & wheels, assembled, glued (2.2" classic chrome wheels,
9262	Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies)		Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2),
		0404	rear (2)) (requires #8255A extended thread stub axle)
04007	Long Arm Lift Kit	8181	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2)
8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit)	8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)
8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use	8171	Wheels, 2.2", Method Race Wheels® 105 Beadlock (black
0.02.1	with #8140R TRX-4® Long Arm Lift Kit)		chrome, beadlock) (beadlock rings sold separately)
8162	Body, GTS shock, long (silver aluminum) (1) (for use with #8140	8171A	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal
	TRX-4® Long Arm Lift Kit)	0400	gray, beadlock) (beadlock rings sold separately)
8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	8180	Wheels, TRX-4® Sport 2.2 (2)
8148	Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit)		Motors & Electronics
9283	Cable, T-lock, rear (185mm)	1926	Antenna caps, vinyl (2)/ antenna spool
8150	Driveshaft extension kit, center (includes internal splined, x-long	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
	(2), internal splined, long (1) and internal splined, medium (1))	2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)
04.40	(for use with TRX-4® Long Arm Lift Kit)	2064A	Gear set (for 2065A waterproof sub-micro servo)
8140 8140X	Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder	2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
01407	coated links, blue-anodized shocks)	2072X	Gear set, metal (for 2070, 2075 servos)
	-,		

Page 4	TRX-4® Ford® F-150® High Trail Edition™: TQi™ Traxx	as Link™	Enabled 2.4GHz Radio (Model 92046-4) Parts List
2252	Gear set, metal (for 2250, 2255 servos)	2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2272	Gear set, metal (for 2270 waterproof servo)	2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)	2983	Battery/charger completer pack (includes #2969 2-amp NiMH
8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)	2300	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH
8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)		iD® battery (1))
8290R	Motor mount plate, 6061-T6 aluminum (green-anodized)	2992	Battery/charger completer pack (includes #2970 iD® charger (1),
3975R	Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)		#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
8290		2994	Battery/charger completer pack (includes #2970 iD® charger (1),
2254	Plate, motor/ upper spur gear cover		#2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo)	2991	Battery/charger completer pack (includes #2972 Dual iD charger
			(1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)
2271	2250, 2255 servos)		(includes receiver box cover and seals)
	Servo case/ gaskets (for 2270 waterproof servo)	2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)	2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery
2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro		Identification
2062V	Servo conservato (for 2005) metal goor waterproof out micro	2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro		Battery Identification
F660	Servo)	2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery
5669	Servo horn (with built-in spring and hardware) (for Summit locking		Identification
207ED	differential)	2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof		Identification
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),	2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto
	waterproof (#2262 external BEC and #8247X metal servo horn		Battery Identification
0055	recommended for optimal performance)	6525	Communication link, telemetry expander
2255	Servo, digital high-torque 400 brushless, metal gear (ball	6512	Cover plate, Traxxas® Link Bluetooth® module
	bearing), waterproof (#2262 external BEC and #8247X metal	2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2270	servo horn recommended for optimal performance)	2064A	Gear set (for 2065A waterproof sub-micro servo)
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof	2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	2072X	Gear set, metal (for 2070, 2075 servos)
2065A	Servo, sub-micro, waterproof	2252	Gear set, metal (for 2250, 2255 servos)
2065R	Servo, sub-micro, waterproof, metal gear	2272	Gear set, metal (for 2270 waterproof servo)
3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage	2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
0004	detection, fwd/rev/brake)	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for
2261	Y-harness, BEC	2900A	Traxxas® iD® batteries)
	Pro Scale® Winch & Accessories	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for
8867	Bumper, front, winch, medium (includes bumper mount, D-	2300	Traxxas® iD® batteries)
	Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979	6561	Mount, telemetry expander
	Blazer with 8855 winch) (217mm wide)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal
8859	Fairlead, winch	0333	pad
8870X	Fairlead, winch, aluminum (blue-anodized) (use with front	6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
	bumpers #8865, 8866, 8867, 8869, or 9224)	6552	Seal kit, expander box (includes o-ring, seals, and silicone
8870A	Fairlead, winch, aluminum (gray-anodized) (use with front	0332	grease)
	bumpers #8865, 8866, 8867, 8869, or 9224)	6526	Sensor, auto-detectable, temperature
8870G	Fairlead, winch, aluminum (green-anodized) (use with front	6527	Sensor, auto-detectable, voltage
	bumpers #8865, 8866, 8867, 8869, or 9224)	6521	Sensor, temperature and voltage (long)
8870T	Fairlead, winch, aluminum (orange-anodized) (use with front	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
	bumpers #8865, 8866, 8867, 8869, or 9224)	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
8870R	Fairlead, winch, aluminum (red-anodized) (use with front	2253	
	bumpers #8865, 8866, 8867, 8869, or 9224)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
8862	Gearmotor, winch	2271	, , , , , , , , , , , , , , , , , , ,
8863	Hook, winch (steel)/ line retainer/ washer		Servo case/ gaskets (for 2270 waterproof servo)
8858	Housings (front & rear), winch/ decal	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
8864X	Line, winch (blue)	2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro
8864	Line, winch (gray)	2063X	servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
8864R	Line, winch (red)	20037	servo)
8860	Spool shaft assembly, winch	2075R	·
8861	Spool, winch	2075K 2250	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing),
8855	Winch kit with wireless controller, TRX-4® and TRX-6®	2230	waterproof (#2262 external BEC and #8247X metal servo horn
8856	Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)		recommended for optimal performance)
8857	Wireless remote, winch, TRX-4® and TRX-6®	2255	Servo, digital high-torque 400 brushless, metal gear (ball
0001		2233	bearing), waterproof (#2262 external BEC and #8247X metal
	Radio System, Batteries & Chargers		servo horn recommended for optimal performance)
2823X	1400mah 11.1v 3-Cell 25C LiPo Battery	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2820X	2200mah 7.4v 2-Cell 25C LiPo Battery	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2849X	4000mah 11.1v 3-Cell 25C LiPo Battery	2065A	Servo, sub-micro, waterproof
2872X	5000mah 11.1v 3-Cell 25C LiPo Battery	2065R	Servo, sub-micro, waterproof, metal gear
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery	6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery	6550X	Telemetry expander 2.0, TQi radio system (for use only with
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery	65507	#6551X GPS module)
2914	AA 4PK	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with
2976	AC to DC adapter	000 IA	#6550X telemetry expander)
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®	6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link
	batteries to separate balance ports)	OSOSIN	enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas®
2943	Battery charge indicators, green (4), grey (4), blue (4)	0001K	Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517		receiver)
00-0	transmitter)	6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-
8222	Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell	5500	channel (transmitter only)
	LiPo batteries)	6511	Traxxas® Link Bluetooth® module
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	2261	Y-harness, BEC
	,		,

Page 5 TF	XX-4 $f R$ Ford $f R$ F-150 $f R$ High	Trail Edition™: TQi™	Traxxas Link™ Enable	d 2.4GHz Radio (Mode	el 92046-4) Parts List
-----------	----------------------------------------	----------------------	----------------------	----------------------	------------------------

92046-4	Readly-To-Race Model TRX-4® High Trail Edition™ with 1979 Ford® F-150® Truck Body:	3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)
	4WD Electric Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System	3945X 3946X	(fits 3mm shaft)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)
	Scale Details		(fits 3mm shaft)/ set screw
3120X	Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits	3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3022T	#8111 or #8111R body) Fuel canisters (black) (2)/ screw pin	3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3022R	Fuel canisters (blue) (2)/ screw pin	3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)
3022	Fuel conisters (red) (2)/ screw pin	3950X	(fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)
3022X 3022A	Fuel canisters (white) (2)/ screw pin Fuel canisters (yellow) (2)/ screw pin	20547	(fits 3mm shaft)/ set screw
3023	Jack (1)/ 2x8 BCS (1)	3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3023T 3122	Jack (black) (1)/ 2x8 BCS (1) Shovel/ axe/ accessory mount/ mounting hardware	3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)
3121X	Traction boards, blue/ mounting hardware	6745	(fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
3121G 3121A	Traction boards, green/ mounting hardware Traction boards, yellow/ mounting hardware	8052	Spur gear, 39-tooth (32-pitch)
8121	Traction boards/ mounting hardware	8053	Spur gear, 45-tooth (32-pitch)
	Shock Oil	8232	Steering Components Caster blocks (portal drive), left & right
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right
5032 5033	Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	8232G	and right Caster blocks, 6061-T6 aluminum (green-anodized), left and rigl
5035 5036	Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone)	8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)	2072X 2072R	Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos)
5029	Shock oil bottle (60cc) (for mixing shock oil)	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5038	Spinning carousel rack Shocks (GTS)	8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
3266A	Body, GTS shock (aluminum, blue-anodized) (1)	8276	Rod ends (10)
3266G	Body, GTS shock (aluminum, green-anodized) (1)	8277 2742	Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6)
3266R 3266	Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1)	8278	Rod ends, offset (4)
3266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)	8247X 2075R	Servo horn, steering, metal/ 3x14 BCS (1)
8264 8274	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)/	2250	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 300 coreless, metal gear (ball bearing waterproof
5475	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic)	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
8261 8262	Piston, damper (red) (4)/ e-clips (8) Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3202	clips, rod ends, and travel limiters)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
8263 8263T	Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)	8246	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
3260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with	8243	Suspension link, front, 5x100mm (lower) (steel) (2)
8260A	TiN shafts (assembled with spring retainers) (2) Shocks, GTS, blue-anodized (assembled with spring retainers)	8244 8245	Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
0200A	(2)		Suspension Linkage
8260G	Shocks, GTS, green-anodized (assembled with spring retainers) (2)	8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inne
8260R 8260	Shocks, GTS, red-anodized (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers)	8057	fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase)
	Slipper Clutch Components		(includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)
3292	Input shaft/ output shaft (transmission)	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
3286 3254	Output sharts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
8249	(1)/ spring washers (2)) Slipper eliminator plate	8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
,	Springs	8276 8277	Rod ends (10) Rod ends, angled 10-degrees (8)
3041	Springs, shock (GTS) (front) (0.45 rate) (2)	2742	Rod ends, long (6)/ hollow ball connectors (6)
040	Springs, shock (GTS) (rear) (0.54 rate) (2)	8278	Rod ends, offset (4)
042 043	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
8043 8044	Springs, shock (natural finish) (GTS) (0.39 rate, white stripe) (2)	8243	Suspension link, front, 5x100mm (lower) (steel) (2)
3045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)	8244	Suspension link, front, 5x63mm (upper) (steel) (2)
	Spur Gears & Pinion Gears	8248 8245	Suspension link, rear, 5x109mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
6746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw		Team Traxxas Items
6747 8942X	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)	2514	Decal sheet, racing sponsors
	(fits 3mm shaft)/ set screw	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)	9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)

	Tires & Wheels	8158	Wheels, 2.2", satin chrome (2)/ center caps (front (2), rear (2))
8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)	0474	(requires #8255A extended thread stub axle)
8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock
8169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)	8171A	rings sold separately) (for use with TRX-4 Long Arm Lift Kit) Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock
8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)	חווט	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
8169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)	8180	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift
8168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)		Kit)
8169R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)	8271	Wheels, TRX-4® 1.9 (2)
8168R	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)	8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)
8169	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)	8178	Wheels, TRX-4® Sport 1.9 (2)
8168	Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48)	8268	Wheels, TRX-4® Tactical 1.9 (2)
8152	Center caps, wheel (satin chrome) (front (2), rear (2)) (requires		Transmission Components
	#8255A extended thread stub axle)	0202	-
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	8283 8284	Cable, T-lock (front) Cable, T-lock (rear)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	9283	Cable, T-lock (rear) Cable, T-lock, rear (185mm)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	8195	Differential, locking, front and rear (assembled) (includes T-Lock
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	0133	cables and servos)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
8174	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires,	8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T
	foam inserts) (1 left, 1 right)		output gear, 2x9.8 pins (5))
8182	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock	8291	Gearbox housing (includes main housing, front housing, & cover)
··	1.9" satin black chrome, blue beadlock style wheels, Canyon	8285	Gears, transfer case (3)
	Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)	5041	Grease, premium high performance (20cc)
8166	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon	8292	Input shaft/ output shaft (transmission)
	Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires	8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
	#8255A extended thread stub axle)	8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8177	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon	8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
	Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires	8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
8166X	#8255A extended thread stub axle)	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup
01007	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires		(1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)
	#8255A extended thread stub axle)	0004	(1) 3x6 BCS with threadlock (1))
8183X	Tires & wheels, assembled, glued (1.9" classic chrome wheels,	8294 8286	Output gear, high range, 24T (metal)
	Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet	8290	Output shafts (transfer case), front & rear
	(requires #8255A extended thread stub axle)	8249	Plate, motor/ upper spur gear cover Slipper eliminator plate
8159X	Tires & wheels, assembled, glued (2.2" chrome wheels, Canyon	8296	Transmission gears, single speed, metal
	Trail 5.3 x 2.2" tires) (2)/ center caps (front (2), rear (2))/ decal	8196	Two speed conversion kit
	sheet (requires #8255A extended thread stub axle)	0130	
8184	Tires & wheels, assembled, glued (2.2" classic chrome wheels,		Traxxas Tools
	Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle)	3433X	Body reamer (aluminum handle)
8159	Tires & wheels, assembled, glued (2.2" satin chrome wheels, Canyon	3433	Body reamer (plastic handle)
0139	Trail 5.3 x 2.2" tires) (2)/ center caps (front (2), rear (2)) (requires	3436	Cap, body reamer
	#8255A extended thread stub axle)	3432	Scissors, curved tip
8273			
	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon	3431	Scissors, straight tip
02.0	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)	3431 8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
8272X	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon		Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
8272X	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2)		Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon		Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8272X 8272	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
8272X	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels,	8712 8720 8721	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded)
8272X 8272 8179	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)	8712 8720	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece)
8272X 8272	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome	8712 8720 8721 8722	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
8272X 8272 8179	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1	8712 8720 8721 8722	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
8272X 8272 8179 8172	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome	8712 8720 8721 8722	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
8272X 8272 8179	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit)	8712 8720 8721 8722 8710	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8272X 8272 8179 8172 8181	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit)	8712 8720 8721 8722	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end,
8272X 8272 8179 8172 8181 8270	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)	8712 8720 8721 8722 8710	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers
8272X 8272 8179 8172 8181	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4	8712 8720 8721 8722 8710	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end,
8272X 8272 8179 8172 8181 8270 8170	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit)	8712 8720 8721 8722 8710	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
8272X 8272 8179 8172 8181 8270 8170 8269	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)	8712 8720 8721 8722 8710	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8272X 8272 8179 8172 8181 8270 8170	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/	8712 8720 8721 8722 8710 8711	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8272X 8272 8179 8172 8181 8270 8170 8269 8269X	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)	8712 8720 8721 8722 8710	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
8272X 8272 8179 8172 8181 8270 8170 8269	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-	8712 8720 8721 8722 8710 8711	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8272X 8272 8179 8172 8181 8270 8170 8269 8269X 8269A	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex, (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)	8712 8720 8721 8722 8710 8711	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8272X 8272 8179 8172 8181 8270 8170 8269 8269X	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/	8712 8720 8721 8722 8710 8711 8719 8716 8716X	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8272X 8272 8179 8172 8181 8270 8170 8269 8269X 8269A 8269G	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4)	8712 8720 8721 8722 8710 8711	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8272X 8272 8179 8172 8181 8270 8170 8269 8269X 8269A	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/	8712 8720 8721 8722 8710 8711 8719 8716 8716X 8715	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8272X 8272 8179 8172 8181 8270 8170 8269 8269X 8269A 8269G	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4)	8712 8720 8721 8722 8710 8711 8719 8716 8716X	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8272X 8272 8179 8172 8181 8270 8170 8269 8269X 8269A 8269G 8269R	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex, (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4)	8712 8720 8721 8722 8710 8711 8719 8716 8716X 8715X	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8272X 8272 8179 8172 8181 8270 8170 8269 8269X 8269A 8269G 8269R	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex, (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)	8712 8720 8721 8722 8710 8711 8719 8716 8716X 8715	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (3mm slotted, #1
8272X 8272 8179 8172 8181 8270 8170 8269 8269X 8269A 8269G 8269R 8165	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/3x10 screw pin (4)	8712 8720 8721 8722 8710 8711 8719 8716 8716X 8715X 8714	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
8272X 8272 8179 8172 8181 8270 8170 8269 8269X 8269A 8269G 8269R 8165	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 1,2mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 1,2mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 1,2mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 1,2mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4) Wheels, 1,9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Wheels, 1,9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Wheels, 1,9", chrome (2)/ center caps (3)/ decal sheet (requires #8255A extended thread stub axle)	8712 8720 8721 8722 8710 8711 8719 8716 8716X 8715X	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (3mm slotted, #1
8272X 8272 8179 8172 8181 8270 8170 8269 8269X 8269A 8269A 8269G 8269R 8165 8175	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4) Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Wheels, 1.9", Chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Wheels, 1.9", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately)	8712 8720 8721 8722 8710 8711 8719 8716 8716X 8715X 8714	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
8272X 8272 8179 8172 8181 8270 8170 8269 8269X 8269A 8269A 8269G 8269R 8165 8175	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4) Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Wheels, 1.9", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately) Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal	8712 8720 8721 8722 8710 8711 8719 8716 8716X 8715X 8714	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / U-joint wrench) Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm)
8272X 8272 8179 8172 8181 8270 8170 8269 8269X 8269A 8269A 8269B 8165 8175 8173	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Wheels, 1.9", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately) Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)	8712 8720 8721 8722 8710 8711 8719 8716 8716X 8715X 8715X 8714 2748R	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench) Tool set with pouch (includes 1.5mm, 2.0mm, 7.5mm, 7mm, and 8mm nut
8272X 8272 8179 8172 8181 8270 8170 8269 8269X 8269A 8269G 8269R 8165 8175	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4) Wheels, 1.9m, chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Wheels, 1.9", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately) Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)	8712 8720 8721 8722 8710 8711 8719 8716 8716X 8715X 8715X 8714 2748R	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench / 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench) Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/2mm, 3mm, and 4mm slotted screwdrivers/#00 Phillips,
8272X 8272 8179 8172 8181 8270 8170 8269 8269X 8269A 8269A 8269B 8165 8175 8173	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Wheels, 1.9", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately) Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)	8712 8720 8721 8722 8710 8711 8719 8716 8716X 8715X 8715X 8714 2748R	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench) Tool set with pouch (includes 1.5mm, 2.0mm, 7.5mm, 7mm, and 8mm nut

Page 7 TRX-4® Ford® F-150® High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92046-4) Parts List

	TRX-4® Traxx®
8889	Bearing retainers, inner (2)/ outer (2)
8890	Drive wheel (1)
8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right))
8888	Spring (4)
8887	Stub axle (1)
8886	Stub axle nut (4)
8891	Tension wheels (6)/ road wheels (4)
8881	Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
8882	Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
8883	Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
8884	Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
8880	Traxx®, TRX-4® (4) (complete set, front & rear)
8895	Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1)
8896	Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM